Journal of Fasting and Health

http://jfh.mums.ac.ir

The Optimal Time of Day for Training during Ramadan: A Review Study

Hamdi Chtourou^{1,2*}, Omar Hammouda^{1,2}, Asma Aloui^{1,3}, Nizar Souissi^{1,4}, Anis Chaouachi¹

1 Research Laboratory "Sports performance optimization" National Center of Medicine and Science in Sports (CNMSS), Tunis, Tunisia

² High Institute of Sport and Physical Education, Sfax, Sfax University, Tunisia

³ High Institute of Sport and Physical Education, Gafsa, Gafsa University, Tunisia

⁴ High Institute of Sport and Physical Education, Ksar-Saïd, Manouba University, Tunisia

ARTICLE INFO	ABSTRACT
<i>Article type:</i> Review article	Literature concerning the effects of Ramadan fasting on sports performance presents conflicting results. In this context, some studies reported a significant impairment of sports performance during the month of Ramadan. However, other studies suggested that Ramadan fasting has no significant effect on physical performance. The discrepancies between the studies could be explained by time-of-day variations in testing. In this regard, recent studies reported that Ramadan negatively affects the afternoon sports performance; however, the morning and the evening (after breaking the fast) performances were not affected by fasting. This suggests that the optimal time of day for training during Ramadan is the morning or the evening. Therefore, coaches should schedule the training sessions in the morning or evening during the month of Ramadan. However, further studies should investigate the effect of training at a specific time of day on sports performance during Ramadan.
<i>Article History:</i> Received: 07 March 2014 Revised: 02 Apr 2014 Accepted: 09 Apr 2014 Published: 17 Apr 2014	
<i>Keywords:</i> Fast Islam Sports Time-of-day Training	

▶ Please cite this paper as:

Chtourou H, Hammouda O, Aloui A, Souissi N, Chaouachi A. The Optimal Time of Day for Training during Ramadan: A Review Study. J Fasting Health. 2014; 2(1): 46-52.

Introduction

Recent studies concerning the effect of Ramadan fasting on sports performance shows conflicting results (1-3). Previous studies demonstrated a significant reduction in the sports performance of soccer players (muscle power during the repeated-sprint exercise and 30s Wingate test, maximal aerobic velocity, maximal oxygen uptake, and the total distance covered during the Yo-Yo intermittent recovery test) during the month of Ramadan, compared to the pre-Ramadan period (4-6). However, it was reported that intermittent Ramadan fasting did not affect sports performance when the athletes maintained the same training load during this month (7).

The discrepancies between the results of these studies could be due to the time-of-day

variations in testing (2, 3). In this context, it is well established that many physiological and psychological parameters vary in an individual during the daytime, with higher values generally observed in the afternoon than the morning (8, 9). Previous studies showed that short- and long-duration performances are time-of-day dependent, with higher values observed in the afternoon than the morning (10, 11).

These diurnal variations of sports performance could be adjusted by time-of-day modifications in training (12-14). According to some studies, the amplitude (morning-evening differences) of the diurnal variation of maximal short-term performances reduced after a regular training in the morning hours (12-14). However, the morning-evening difference of

* Corresponding author: Hamdi Chtourou, Bp 263, Ave Med Ali Akid, 1004 El Menzah, Tunis, Tunisia. Tel: + 216 22 87 20 95; Email: h_chtourou@yahoo.fr

© 2014 mums.ac.ir All rights reserved.

This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/3.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

maximal short-term performance was more significant than a regular training in the afternoon hours (12-14).

Recent studies showed that sports performance (i.e., muscle power during the repeated-sprint exercise and the 30s Wingate test, maximal aerobic velocity, maximal oxygen uptake, and the total distance covered during the Yo-Yo intermittent recovery test) was affected by Ramadan fasting in the afternoon hours, unlike the morning hours (4, 15, 16). This suggests that athletes could train in the morning during Ramadan to support the training load.

To the best of our knowledge, regarding the temporal specificity in training during Ramadan, only Aziz *et al* (17) have investigated the effect of a high-intensity exercise session at different times of day during the fasting period on sports performance. They concluded that the optimal time of day to perform an acute high-intensity exercise session during Ramadan is the evening, after breaking the daily fast.

Souissi *et al* (18) investigated the optimal time of day for performing a short-term high intensity exercise (30s Wingate test) during Ramadan. They showed that short-term high intensity performance was affected by fasting in the afternoon and the evening during Ramadan; however, the morning performance did not reduce during the fasting month.

In view of the above considerations, we aimed to review:

- (i) the effect of Ramadan fasting on sports performance,
- (ii) the effect of Ramadan fasting on the diurnal variations of sports performance, and
- (iii) time-of-day effect of training during Ramadan on sports performance.

Ramadan and sports performance *Ramadan*

One of the five main religious practices of Islam is Ramadan fasting. Healthy devout Muslims after going through puberty are obliged to fast during Ramadan for 28-30 days, based on the visual sighting of the crescent moon. During the month of Ramadan, Muslims abstain from eating, drinking, smoking, and sexual relations during daylight hours (from dawn until sunset).

The impact of fasting during this month is largely dependent on climatic conditions and

geographical location. With respect to the Gregorian calendar, this month (the ninth month in the Islamic calendar) shifts every year by approximately 11 days. Therefore, the effects of fasting during summer at high altitudes are different from fasting in winter. Moreover, in the summer of regions with temperate climates, fasting duration could be as long as 18 hrs per day.

During Ramadan, food and fluid intake is allowed from a pre-fasting meal called *Sahar* until the fast-breaking meal, known as *Iftar*. It should be noted that food intake during nighttime hours leads to several behavioral changes (19).

Several studies have investigated the effect of Ramadan fasting on sports performance and have presented inconclusive findings.

The effect of Ramadan fasting on sports performance

The current literature concerning the effect of Ramadan fasting on sports performance presents somewhat conflicting results (2, 20). While some studies showed that Ramadan did not affect sports performance (7, 21, 22), others showed a significant decrease in sports performance (5, 23).

In this regard, Chaouachi et al (7) investigated the effect of Ramadan fasting on short- and long-duration exercise performances. They reported that the performance during squat jump test, countermovement test, 5, 10, and 30m sprints, and maximal oxygen uptake during the Multi-stage Fitness Test was not adversely affected by Ramadan fasting. Likewise, Zerguini et al (22) showed that vertical jump test and 5, 10, and 20m sprint performances were not affected by fasting. Recently, Bouhlel et al (23) showed that muscle strength (hand grip strength) and power (countermovement jump) were maintained during Ramadan (compared to the pre-Ramadan period).

On the other hand, Chtourou *et al* (5) investigated the effect of Ramadan fasting on muscle power during the 30s Wingate test, repeated-sprint test, maximal aerobic velocity, and the total distance covered during the Yo-Yo intermittent recovery test in twenty soccer players. They showed that Ramadan fasting

significantly reduced the physical performance of soccer players. In fact, during the 30s Wingate test, repeated-sprint test, the maximal aerobic velocity, and the total distance covered during the Yo-Yo intermittent recovery test, muscle power was significantly lower during Ramadan in comparison with the pre-Ramadan period.

Similarly, in ten physical education students, Bouhlel *et al* (23) showed a significant impairment of performance, indicated by the force-velocity test (the maximal power of arms and legs), during Ramadan in comparison with the pre-Ramadan period.

The discrepancies between the results of these studies could be due to several factors: the test protocols, environmental conditions, training status, fasting duration, and the time of day of testing (20). In this context, recent studies showed that maintaining the training load during the month of Ramadan might lead to performance decrement during the fasting period (7, 21). Recently, Rebaï et al (24) showed that a 2-week tapering period during Ramadan might enhance the muscle strength during Ramadan. However, when this period changed to 4 weeks, the performance significantly reduced during the last two weeks of Ramadan, compared to the two first weeks of the fasting month.

Ramadan and diurnal variations of sports performance

Time of day and sports performance

It is well established that sports physiological performance and manv parameters (25) are time-of-day dependent (8, 9, 26). In fact, both mental (27, 28) and physical (29, 30) performances fluctuate during the daytime. For instance, the muscle power (mean and peak power) during the Wingate test was higher in the afternoon compared to the morning in adults (31-35) and boys (14, 36, 37). Likewise, during short-term explosive exercises, previous studies reported a significant time-ofday effect on vertical jump performance (the squat and countermovement jumps) with higher and lower values in the afternoon and morning, respectively (12, 13, 38).

Previous studies also reported higher muscle power (exercises performed on a cycle ergometer) in the repeated-sprint exercises during the first 2-3 sprints (4, 39, 40). However, after the first 2-3 repetitions, the diurnal variation of performance disappeared (4, 39, 40). Lack of time-of-day effect on muscle power during the repeated-sprint exercises could be explained by a higher muscle fatigue in the afternoons compared to mornings (41). In this regard, Racinais *et al* (42) showed that the higher reduction of muscle power in the afternoon compared to the morning could be due to the higher initial power during the first 2-3 repetitions.

The diurnal variations of short-term maximal performances could be partially explained by the higher core temperature observed in the afternoon compared to the morning (33, 43). Therefore, the first 2-3 repetitions during the repeated-sprint exercises could act as a warm-up, which improves the morning core temperature to the same level as the afternoon (8, 9).

Considering long-duration exercises, the literature presents somewhat conflicting results (8). In soccer players, recent studies showed a significant time-of-day effect on performance during the Yo-Yo intermittent recovery test (16, 41, 43). In this regard, Hammouda *et al* (16), Chtourou *et al* (41), and Hammouda *et al* (43) showed that maximal aerobic velocity, maximal oxygen uptake, and the total distance covered during the Yo-Yo intermittent recovery test were higher in the afternoon compared to the morning.

Ramadan and time-of-day effects on sports performance

As indicated above, the discrepancies between the results concerning the effect of Ramadan fasting on sports performance could be attributed to the time of day of testing (3). Recent studies showed that sports performance was adversely affected by fasting during Ramadan in the afternoon, just before the sunset (4, 6, 15, 44). However, some hours after the sunrise, there were no significant adverse effects of Ramadan fasting on sports performance.

Chtourou *et al* (15) studied the effect of Ramadan fasting on the muscle power of soccer players during the Wingate test and its diurnal variation. They showed that muscle power was impaired during Ramadan when the tests were performed in the afternoons; however, when the tests were carried out in the morning, no adverse effects of fasting were observed.

Moreover, Chtourou *et al* (15) showed that muscle power was significantly higher in the afternoon compared to the morning before Ramadan. However, this diurnal variation of muscle power was suppressed during Ramadan due to the impaired performance in the afternoon; the performance was maintained in the morning. The same conclusions were confirmed by Aloui *et al* (4) during the repeatedsprint test and by Hammouda *et al* (35) during the Yo-Yo intermittent recovery test in young Tunisian soccer players.

Time of day of training during Ramadan and sports performance *Time of day of training and sports performance*

Previous studies have investigated the effect of regular training (aerobic (45, 46) and resistance training (12-14, 47)) on sports performance in the morning or evening hours. Hill et al (45) showed that after 6 weeks of training, aerobic а significantly higher ventilatory anaerobic threshold was seen in the morning compared to the afternoon in subjects who regularly trained in the morning hours. However, the ventilatory anaerobic threshold was higher in the afternoon compared to morning in subjects who regularly trained in the afternoon hours.

After 5 weeks of high-intensity training, performed at a specific time to increase work capacity, Hill *et al* (46) showed that the performance of subjects, who trained in the afternoon hours, was higher at this time of day compared to the morning hours. However, there was no significant time-of-day effect on work capacity in subjects who trained in the morning hours.

Concerning the time of day of resistance training, recent studies confirm the temporal specificity of training in adults (12, 13) and (14) boys. In this regard, after scheduling 6 weeks of resistance training, Chtourou *et al* (12) showed that subjects, who train in the morning hours, improve their performance (muscle power during the 30s Wingate test and muscle strength

during squats, leg extensions, and leg curls, onerepetition maximum test) in the morning and afternoon. However, the percentage of improvement was higher in the morning than in the afternoon (i.e., higher improvement observed at the same time of training).

The more significant improvement of morning performances may blunt the typical diurnal variation of muscle power and strength. However, subjects who trained in the afternoon hours, improved their performance at this time of day, resulting in an increased morning-evening difference in muscle power and strength. Chtourou *et al* (13) confirmed these results after designing 12 weeks of resistance training; also, Souissi *et al* (14) reached the same conclusions after 6 weeks of resistance training.

The effect of the time of day of training during Ramadan on sports performance

In physical education students, Souissi et al (17) investigated the effect of Ramadan fasting on muscle power during the 30s Wingate test and the force-velocity test, recorded after sunrise (07:00 a.m.) and before (5:00 p.m.) and after (9:00 p.m.) sunset. The authors showed a significant reduction in sports performance only when the tests were performed in the afternoon. Therefore, we can conclude that training sessions could be scheduled in the morning or the evening during Ramadan to avoid the negative effects of fasting on sports performance.

Recently, Aziz et al (18) investigated the effect of Ramadan fasting on physical performance during an intense exercise session $(6 \times 30s$ Wingate test followed by a time-toexhaustion cycling task) performed at different times of day (08:00 a.m., 6:00 p.m., and 9:00 p.m.). For analyzing the sports performance, total work and time to exhaustion were recorded before and during Ramadan. They showed that the total work during the $6 \times 30s$ Wingate test was adversely affected by Ramadan fasting at 08:00 a.m. and 6:00 p.m. However, during this month, the 9:00 p.m. performances were similar to those recorded before Ramadan. Likewise, the time to exhaustion was maintained at 9:00 p.m. and 08:00 a.m., and reduced at 6:00 p.m. They

concluded that the optimal time of day for performing an acute high-intensity exercise session during Ramadan is the evening, after the *lftar* meals.

However, exercising later in the evening may improve the core temperature of the subjects and thus, may affect the normal sleepwake cycle. In this regard, Souissi et al (48) showed that performing the Yo-Yo intermittent recovery test in the evening at 9:00 p.m. might adversely affect the sleep quality of individuals. These modifications in the sleep quality or sleep deprivation observed during Ramadan may affect both mental (49, 50) and physical (51, 52) performances. Therefore, scheduling the training sessions in the evening during Ramadan could disturb the sleep quality of the athletes, which may adversely affect sports performance. Therefore, for precise conclusions, more studies are required to investigate the time-of-day effect of regular training during Ramadan on sports performance.

Conclusion

The effect of Ramadan on sports performance is relatively insignificant. However, Ramadan may impair sports performance when the test sessions are scheduled in the afternoon just before breaking the fast. This reduction may blunt the typical diurnal variation of sports observed performance, before Ramadan. Ramadan fasting did not affect sports performance when the tests were performed in the morning hours or in the evening after the *Iftar* meals. Therefore, we could conclude that the optimal time of day for training during Ramadan is the evening, 2-3 hours after breaking the fast.

References

- 1. Aloui A, Chtourou H, Hammouda O, Chaouachi A, Chamari K, Souissi N. The challenge of rapid weight loss prior to competition for Muslim combat sport athletes during Ramadan. Biol Rhythm Res. 2013; 44: 876-84.
- Chaouachi A, Leiper JB, Chtourou H, Aziz AR, Chamari, K. The effects of Ramadan intermittent fasting on athletic performance: Recommendations for the maintenance of physical fitness. J Sports Sci. 2012; 30: 53-73.

- Chtourou H, Aloui A, Hammouda O, Haddad M, Souissi N, Chamari K. Ramadan Fasting and Diurnal Variation in Sport Performance. In: Effects of Ramadan Fasting on Health and Athletic Performance. OMICS Group eBooks. 2014.
- Aloui A, Chaouachi A, Chtourou H, Wong DP, Haddad M, Chamari K, et al. Effects of Ramadan on the Diurnal Variations of Repeated Sprints Performances. Int J Sports Physiol Perform. 2013; 8: 254-62.
- Chtourou H, Hammouda O, Souissi H, Chamari K, Chaouachi A, Souissi, N. The effect of Ramadan fasting on physical performances, mood state and perceived exertion in young footballers. Asian J Sports Med. 2011; 2: 177-85.
- Hammouda O, Chtourou H, Aloui A, Chahed H, Kallel C, Miled A, et al. Concomitant Effects of Ramadan Fasting and Time-Of-Day on Apolipoprotein AI, B, Lp-a and Homocysteine Responses during Aerobic Exercise in Tunisian Soccer Players. PLoS One. 2013; 8(11):e79873.
- Chaouachi A, Coutts AJ, Chamari K, Wong Del P, Chaouachi M, Chtara M, et al. Effect of Ramadan intermittent fasting on aerobic and anaerobic performance and perception of fatigue in male elite judo athletes. J Strength Cond Res. 2009; 23: 2702-9.
- 8. Chtourou H, Souissi N. The effect of training at a specific time-of-day: a review. J Strength Cond Res. 2012; 26: 1984-2005.
- Chtourou H, Hammouda O, Aloui A, Souissi N. Effect of time-of- day on muscle fatigue: a review. J Nov Physiother 2013; 3: 160.
- Abedelmalek S, Chtourou H, Souissi N, Tabka Z. Effect of time-of-day and racial variation on short-term maximal performance. Biol Rhythm Res. 2013; 44: 787-96.
- 11. Souissi M, Chtourou H, Hdidar R, Azaeiz R, Dogui M, Souissi N, et al. Effects of three types of chronobiotics on anaerobic performances and their diurnal variations. Biol Rhythm Res. 2012; 44: 245-54.
- 12. Chtourou H, Driss T, Souissi S, Gam A, Chaouachi A, Souissi, N. The effect of strength training at the same time of the day on the diurnal fluctuations of muscular anaerobic performances. J Strength Cond Res. 2012; 26: 217-25.
- Chtourou H, Chaouachi A, Driss T, Dogui M, Behm DG, Chamari K, et al. The effect of training at the same time of day and tapering period on the diurnal variation of short exercise performances. J Strength Cond Res. 2012; 26: 697-708.
- 14. Souissi H, Chtourou H, Chaouachi A, Dogui M, Chamari K, Souissi N, et al. The effect of training at a specific time-of-day on the diurnal variations of short-term exercise performances in 10- to

J Fasting Health. 2014; 2(1):46-52.

11-year-old boys. Pediatr Exerc Sci. 2012; 24: 84-99.

- Chtourou H, Hammouda O, Chaouachi A, Chamari K, Souissi N. The effect of time-of-day and Ramadan fasting on anaerobic performances. Int J Sports Med. 2012; 33: 142-7.
- 16. Hamouda O, Chtourou H, Farjallah MA, Davenne D, Souissi N. The effect of Ramadan fasting on the diurnal variations in aerobic and anaerobic performances in Tunisian youth soccer players. Biol Rhythm Res. 2012; 43: 177-90.
- 17. Aziz AR, Chia MYH, Low CY, Slater GJ, Png WKC. Conducting an Acute Intense Interval Exercise Session During the Ramadan Fasting Month: What Is the Optimal Time of the Day? Chronobil Int. 2012; 29: 1139-50.
- Souissi N, Souissi H, Sahli S, Tabka Z, Dogui M, Ati J, et al. Effect of Ramadan on the diurnal variation in short-term high power output. Chronobiol Int. 2007; 24: 991-1007.
- 19. Aloui A, Chtourou H, Souissi N, Chamari K. Ramadan Fasting and Sport Performance. In: Effects of Ramadan Fasting on Health and Athletic Performance. OMICS Group eBooks. 2014.
- Aloui A, Chtourou H, Masmoudi L, Chaouachi A, Chamari K, Souissi N. Effects of Ramadan fasting on male judokas' performances in specific and non-specific judo tasks. Biol Rhythm Res. 2012; 44: 645-54.
- 21. Zarrouk N, Hug F, Hammouda O, Rebai H, Tabka Z, Dogui M, et al. Effect of Ramadan intermittent fasting on body composition and neuromuscular performance in young athletes: a pilot study. Biol Rhythm Res. 2013; 44: 697-709.
- 22. Zerguini Y, Kirkendall D, Junge A, Dvorak J. Impact of Ramadan on physical performance in professional soccer players. Br J Sports Med. 2007; 41: 398-400.
- 23. Bouhlel H, Shephard RJ, Gmada N, Aouichaoui C, Peres G, Tabka Z, et al. Effect of Ramadan observance on maximal muscular performance of trained men. Clin J Sport Med. 2013; 23: 222-7.
- 24. Rebaï H, Chtourou H, Zarrouk N, Harzallah A, Kanoun I, Dogui M, et al. Reducing resistance training volume during Ramadan improves muscle strength and power in football players. Int J Sports Med. 2013.
- 25. Hammouda O, Chahed H, Chtourou H, Ferchichi S, Miled A, Souissi N. Morning-to-evening difference of biomarkers of muscle injury and antioxidant status in young trained soccer players. Biol Rhythm Res. 2012; 43: 431-8.
- Zarrouk N, Chtourou H, Zarrouk I, Rebai H, Tabka Z, Dogui M. Variations diurnes des performances en natation: effet de la température de l'eau. Sci Sports. 2012; 27: 101-6.

- 27. Elgoul Y, Frikha M, Abdelmlak S, Chtourou H, Dammak K, Chamari K, et al. Time-of-day effect on dart throwing performance and the perception of the difficulty of the task in 9-10 year-old boys. Biol Rhythm Res. 2014;1-10.
- Jarraya S, Jarraya M, Chtourou H, Souissi N. Diurnal variations on cognitive performances in handball goalkeeper. Biol Rhythm Res. 2014; 45: 93-101.
- 29. Souissi M, Abedelmalek S, Chtourou H, Boussita A, Hakim A, Sahnoun Z. Effects of time-of-day and caffeine' ingestion on mood states, simple reaction time, and short-term maximal performance in elite judoists. Biol Rhythm Res. 2013; 44: 897-907.
- Abedelmalek S, Souissi N, Chtourou H, Denguezli M, Aouichaoui C, Ajina M, et al. Effects of partial sleep deprivation on proinflammatory cytokines, growth hormone, and steroid hormone concentrations during repeated brief sprint interval exercise. Chronobiol Int. 2013; 30: 502-9.
- Abedelmalek S, Chtourou H, Aloui A, Aouichaoui C, Souissi N, Tabka Z. Effect of time of day and partial sleep deprivation on plasma concentrations of IL-6 during a short-term maximal performance. Eur J Appl Physiol. 2012; 113: 241-8.
- Chtourou H, Chaouachi A, Hammouda O, Chamari K, Souissi N. Listening to Music Affects Diurnal Variation in Muscle Power Output. Int J Sports Med. 2012; 33: 43-7.
- 33. Chtourou H, Zarrouk N, Chaouachi A, Dogui M, Behm DG, Chamari K, et al. Diurnal variation in Wingate-test performance and associated electromyographic parameters. Chronobiol Int 2011; 28: 706-13.
- Chtourou H, Aloui A, Hammouda O, Chaouachi A, Chamari K, Souissi N. The effect of time-of-day and judo match on short-term maximal performances judokas. Biol Rhythm Res. 2013; 44: 797-806.
- Hammouda O, Chtourou H, Chahed H, Ferchichi S, Chaouachi A, Kallel C, et al. High Intensity Exercise Affects Diurnal Variation of Some Biological Markers in Trained Subjects. Int J Sports Med. 2012; 33: 886-91.
- 36. Aloui A, Chtourou H, Hammouda O, Souissi H, Chaouachi A, Chamari K, et al. Effects of Ramadan on the diurnal variations of physical performance and perceived exertion in adolescent soccer players. Biol Rhythm Res. 2013; 44: 869-75.
- Souissi H, Chtourou H, Chaouachi A, Chamari K, Souissi N, Amri M. Time-of-day effects on EMG parameters during the Wingate test in boys. J Sports Sci Med. 2012; 11:380-6.

J Fasting Health. 2014; 2(1):46-52.

- Chtourou H, Aloui A, Hammouda O, Chaouachi A, Chamari K, Souissi N. Effect of static and dynamic stretching on the diurnal variations of jump performance in soccer players. PLoS One. 2013; 8(8):e70534.
- 39. Hammouda O, Chtourou H, Chahed H, Ferchichi S, Kallel C, Miled A, et al. Diurnal variations of plasma homocysteine, total antioxidant status, and biological markers of muscle injury during repeated sprint: effect on performance and muscle fatigue--a pilot study. Chronobiol Int. 2011; 28: 958-67.
- Zarrouk N, Chtourou H, Rebai H, Hammouda O, Souissi N, Dogui M, et al. Time of Day Effects on Repeated Sprint Ability. Int J Sports Med. 2012; 33: 975-80.
- 41. Chtourou H, Hammouda O, Souissi H, Chamari K, Chaouachi A, Souissi N. Diurnal variations in physical performances related to football in young soccer players. Asian J Sport Med. 2012; 3: 139-44.
- 42. Racinais S, Perrey S, Denis R, Bishop D. Maximal power, but not fatigability, is greater during repeated sprints performed in the afternoon. Chronobiol Int. 2010; 27: 855-64.
- 43. Hammouda O, Chtourou H, Chaouachi A, Chahed H, Bellimem H, Chamari K, et al. Time-of-day effects on biochemical responses to soccerspecific endurance in elite Tunisian football players. J Sports Sci. 2013; 31: 963-71.
- 44. Hammouda O, Chtourou H, Aloui A, Mejri MA, Chahed H, Miled A, et al. Does Ramadan fasting affect the diurnal variations in metabolic responses and total antioxidant capacity during exercise in young soccer players? Sport Sci Health. In press.
- 45. Hill DW, Cureton KJ, Collins MA, Grisham SC.

Diurnal variations in responses to exercise of "morning types" and "evening types". J Sports Med. 1988; 28: 213-9.

- 46. Hill DW, Leiferman JA, Lynch NA, Dangelmaier BS, Brut SE. Temporal specificity in adaptations to high intensity exercise training. Med Sci Sports Exerc. 1998; 30: 450-5.
- 47. Chtourou H, Hammouda O, Aloui A, Chaabouni K, Makni-Ayedi F, Wahl M, et al. The effect of time of day on hormonal responses to resistance exercise. Biol Rhythm Res. 2014; 45: 247-56.
- 48. Souissi M, Chtourou H, Zrane A, Ben Cheikh R, Dogui M, Tabka Z, et al. Effect of time-of-day of aerobic maximal exercise on the sleep quality of trained subjects. Biol Rhythm Res. 2012; 43: 323-30.
- 49. Jarraya M, Jarraya S, Chtourou H, Souissi N. The effect of the partial sleep deprivation on the reaction time and the attentionnel capacities of the handball's goalkeeper. Biol Rhythm Res. 2013; 44: 503-10.
- 50. Jarraya S, Jarraya M, Chtourou H, Souissi N. Effect of time of day and partial sleep deprivation on the reaction time and the attentional capacities of the handball goalkeeper. Biol Rhythm Res. 2014; 45; 183-91.
- 51. HajSalem M, Chtourou H, Aloui A, Hammouda O, Souissi N. Effects of partial sleep deprivation at the end of the night on anaerobic performances in judokas. Biol Rhythm Res. 2013; 44: 815-21.
- 52. Souissi N, Chtourou H, Aloui A, Hammouda O, Dogui M, Chaouachi A, et al. Effects of time-of-day and partial sleep-deprivation on short-term maximal performances of judo competitors. J Strength Cond Res. 2013; 27: 2473-80.